

GLIDELINE

ASPECT SLIDING DOOR





SPECIFICATION



CONFIGURATIONS

MONO, 2 TRACK, 3 TRACK, QUAD TRACK

SIGHTLINES

INTERLOCK 15 MM OR 25MM

GLAZING

MAX. 36 MM

MAXIMUM SASH DIMENSIONS

15MM INTERLOCK: WIDTH (L) 2200 MM, HEIGHT (H) 2500 MM
25MM INTERLOCK: WIDTH (L) 2500 MM, HEIGHT (H) 2800 MM

MAXIMUM SASH WEIGHT


SLIDE 280 KG

COLOUR

POWDER COATING RAL FINISH
STANDARD 7016M, 9005M, 9016G
AVAILABLE IN 150+ RAL FINISHES
TEXTURED FINISH AVAILABLE
SPLIT COLOR FOR INTERIOR/EXTERIOR
WOOD EFFECT POWDER COATING
ANODIZED ALUMINIUM

BFRC Rating


kWh/(m².yr)



Double glazing

BFRC Rating

kWh/(m².yr)






Triple glazing

FEATURES

U value (I)		Double glazing Uw from 1.3 (W/m ² K)	Triple glazing Uw ≥ 1.0 (W/m ² K)
Acoustic insulation		Rw up to 39 dB	
Air permeability		Class 3* / 4**	
Water tightness		Class 7A	
Wind resistance		Class C5* / C2**	
Security test		Passed	

Double glazing Ug=1.0 / Triple glazing Ug=0.7


(I) Two sashes 4 m x 2.5 m




CONFIGURATIONS




2 PANE




3 PANE




4 PANE




QUAD TRACK




1 PANE POCKET





2 PANE POCKET




2 PANE POCKET



4 PANE POCKET




GLASS CAN BE
RETRO FITTED WITH
GLAZING BEADS



PANELS CAN
STACK IN A
NEAT LINE



INTEGRATED
DRAINAGE FOR
FLUSH THRESHOLDS



DOUBLE OR TRIPLE
GLAZING UP TO
36MM



FROM 1-4 TRACKS
OR 1-8 PANELS



PLUS OR MINUS
4MM ADJUSTMENT

15MM INTERLOCK GLAZING



Height (m)	1.0 m width	1.6 m width	2.2 m width
2.1m high	6 mm	6 mm	8 mm
2.2m high	6 mm	6 mm	8 mm
2.3m high	6 mm	8 mm	8 mm
2.4m high	8 mm	8 mm	8 mm
2.5m high	8 mm	8 mm	10 mm

25MM INTERLOCK GLAZING



Height (m)	1.0 m width	1.5 m width	2.0 m width	2.5 m width
2.1m high	6 mm	6 mm	6 mm	6 mm
2.2m high	6 mm	6 mm	6 mm	6 mm
2.3m high	6 mm	6 mm	8 mm	8 mm
2.4m high	6 mm	8 mm	8 mm	8 mm
2.5m high	8 mm	8 mm	8 mm	8 mm
2.6m high	8 mm	8 mm	8 mm	8 mm
2.7m high	8 mm	8 mm	8 mm	10 mm
2.8m high	8 mm	8 mm	10 mm	10 mm



ASPECT FLIP HANDLE

THE ASPECT FLIP HANDLE IS ENGINEERED TO WORK SEAMLESSLY WITH OUR SLIDING DOOR SYSTEMS. ITS SLEEK PIVOTING DESIGN MAINTAINS THE CLEAN AESTHETIC WHILE DELIVERING EFFORTLESS, SPACE-SAVING OPERATION.

- COMPACT PROFILE – LOW-PROJECTION FLIP MECHANISM THAT SITS NEATLY AGAINST THE FRAME.
- SMOOTH OPERATION – PRECISION-ENGINEERED PIVOT FOR A COMFORTABLE, FLUID ACTION.
- DURABLE FINISH – AVAILABLE IN ALL STANDARD COLOURS, PLUS ANY RAL TO PERFECTLY MATCH YOUR FRAME.
- PERFECT COMPATIBILITY – DESIGNED TO PAIR FLAWLESSLY WITH THE ASPECT SLIDING SYSTEM.



GREY 7016

BLACK 9005

WHITE 9016

LIGHT SLIVER

DARK SLIVER

CUSTOM RAL



FLIP HANDLE

HARDWARE



ASPECT FLUSH HANDLE

THE ASPECT FLUSH HANDLE IS DESIGNED FOR SEAMLESS INTEGRATION WITH OUR SLIDING DOOR SYSTEMS. ITS SLIM, RECESSED PROFILE MAINTAINS THE CLEAN SIGHTLINE AESTHETIC WHILE OFFERING SMOOTH, ERGONOMIC OPERATION.

- DISCREET DESIGN – FLUSH FINISH THAT BLENDS WITH THE FRAME FOR A MINIMAL LOOK.
- EFFORTLESS FUNCTIONALITY – ENGINEERED FOR COMFORTABLE GRIP AND SMOOTH OPERATION.
- DURABLE FINISH – AVAILABLE IN A WIDE RANGE OF COLOURS, INCLUDING ANY RAL TO MATCH YOUR FRAME.
- PERFECT COMPATIBILITY – DESIGNED TO COMPLEMENT THE ASPECT SLIDING SYSTEM.



FLUSH HANDLE



GREY
7016

BLACK
9005

WHITE
9016

LIGHT
SLIVER

DARK
SLIVER

CUSTOM
RAL

VENTILATION



VENTILATION

THE GLIDELINE ASPECT SYSTEM INTRODUCES AN ADVANCED VENTILATION FUNCTION — COMBINING COMFORT, PERFORMANCE, AND PEACE OF MIND.

WITH A SIMPLE HALF-TURN OF THE HANDLE, THE DOOR ENTERS A CONTROLLED VENTILATION MODE THAT ALLOWS FRESH AIR TO CIRCULATE NATURALLY THROUGHOUT YOUR HOME. THIS HELPS REDUCE CONDENSATION AND MAINTAIN A COMFORTABLE INDOOR ENVIRONMENT — ALL WHILE THE DOOR REMAINS FIRMLY SECURED IN PLACE.

FOR FULL OPENING, SIMPLY ROTATE THE HANDLE 180°, RELEASING THE SASH INTO ITS SMOOTH-GLIDING MOTION. EVERY MOVEMENT FEELS EFFORTLESS — A REFLECTION OF GLIDELINE'S PRECISION ENGINEERING AND LONG-TERM RELIABILITY.

AVAILABLE EXCLUSIVELY WITH OUR **FLUSH** HANDLE OPTIONS.

THE VENTILATION FEATURE COMPLEMENTS THE ASPECT 1 AESTHETIC — OFFERING THE PERFECT BALANCE OF ELEGANCE & FUNCTIONALITY.



FLUSH TRICKLE VENTS

DISCREETLY BUILT INTO THE SASH, GLIDELINE'S FLUSH TRICKLE VENTS PROVIDE CONTINUOUS BACKGROUND VENTILATION WITHOUT DISRUPTING THE SYSTEM'S CLEAN, MINIMAL DESIGN. THE VENT SITS COMPLETELY FLUSH TO THE PROFILE, MAINTAINING SLEEK SIGHTLINES.

PRECISION-ENGINEERED FOR QUIET, EFFICIENT AIRFLOW, IT DELIVERS YEAR-ROUND COMFORT WITH SEAMLESS GLIDELINE DETAILING.





GLIDELINE