

GLIDELINE

GB49 RESIDENTIAL DOOR



SPECIFICATION



CONFIGURATIONS

SINGLE, FRENCH, SIDELIGHTS, TOP LIGHTS

SIGHTLINES

49MM SASH

GLAZING

MAX. 48 MM, MIN. 25 MM

MAXIMUM SASH DIMENSIONS

WIDTH (L) 1200 MM, HEIGHT (H) 3000 MM

MAXIMUM SASH WEIGHT

120 KG

COLOUR

POWDER COATING RAL FINISH
STANDARD 7016M, 9005M, 9016G
AVAILABLE IN 150+ RAL FINISHES
TEXTURED FINISH AVAILABLE
SPLIT COLOR FOR INTERIOR/EXTERIOR
WOOD EFFECT POWDER COATING
ANODIZED ALUMINIUM


BFRC Rating

kWh/(m²·yr)

≥20	A ++
>10 to 20	A +
0 to <10	A ✓
-10 to <0	B
-20 to <-10	C
-30 to <-20	D
-50 to <-30	E

FEATURES		
Transmittance		Uw ≥ 0.8 (W/m ² K)
Acoustic insulation		Rw up to 41 dB
Air permeability		Class 4
Water tightness		Class E750
Wind resistance		Class C3

PAS24



ARTBURY 3



ABER 5



ASPEN 1



ARAMON 3



AUTRANS 2



AROLLA 4



AVORIAZ 1



AROLLA 5



CARONA 2



AVORIAZ 1 LITE



CERVINIO 1




BERNEX 2



COLOGNE 4



BERNEX 3




COURCHEVEL 3




BORMIO 3




ELORN 1




FALERA 3



FUJI 1




IGMAN




JAVORNIK 3




LB 6




LEYSIN 3



LURISIA 4




LUZERN 3



MANALI 6



MASELLA 5



MATIGNY 2



MERIZINE 3



MOLVINIO 1



MOLVINIO 3



MORZINE 1



NEOSLOPE 3



NEVIS 1



NEVIS 3



NEVIS 4



NEVIS 5



OLYMPUS 4




PECA 3




PILLIO 1




PORTE 1




SHIPLAP



SMOOTH SOLID




SOVATA 6




SUMMIT 6




TAVASCAN 2



TRIBERG 1



USTRON



VEYSONNAZ 3



UZANA 2



VEYSONNAZ 5



UZANA 3



VIDRA 4



VALNORD 2




ZERMATT 3



VERBIER 3



HARDWARE



GREY 7016



BLACK 9005



WHITE 9016



CUSTOM RAL

Regardless of whether you're looking to maintain modern aesthetics or a more traditional style, our choice of colours will suit you. We have a range of handle options to choose from to achieve the perfect look.


The aluminium bifold plus that we supply at Glideline have been carefully designed to be thermally efficient. With a U-value of $1.0 \text{ W/m}^2\text{K}$, your or your customer's home will be comfortable all year round.



BAR HANDLE

GLIDELINE GO

KEEP UP TO DATE WITH YOUR
GLAZING PROJECTS WITH
GLIDELINE GO



Introducing GlidelineGO – the ultimate system designed to streamline your glazing order management process. With GlidelineGO, customers and trade partners can effortlessly create, track, and manage orders, while enjoying the convenience of approving drawings and making payments directly within the app.

Efficiency and ease-of-use are at the heart of GlidelineGO. Whether you're an architect, contractor, or glazing professional, this powerful app empowers you to take control of your glazing projects, ensuring a seamless experience from start to finish.





GLIDELINE