







SPECIFICATION

SIGHTLINES FRAME 70 MM, SASH 70 MM

GLAZING MAX. 40 MM, MIN. 26 MM

MAXIMUM SASH DIMENSIONS


WIDTH (L) 1300 MM, HEIGHT (H) 2400 MM

MAXIMUM SASH WEIGHT

160 KG

COLOUR

POWDER COATING RAL FINISH STANDARD 7016M, 9005M, 9016G AVAILABLE IN 150+ RAL FINISHES TEXTURED FINISH AVAILABLE SPLIT COLOR FOR INTERIOR/EXTERIOR WOOD EFFECT POWDER COATING ANODIZED ALUMINIUM




BFRC Rating kWh/(m².yr)		BFRC Rating kWh/(m ² .yr)	
<u>></u> 20	A ++	<u>≥</u> 20	A
>10 to 20	A +	>10 to 20	A
0 to <10	A 🗸	0 to <10	A
-10 to <0	В	-10 to <0	
-20 to <-10	С	-20 to <-10	
-30 to <-20	D	-30 to <-20	
-50 to <-30	E	-50 to <-30	
Double glazing	9	Triple glazing	



FEATURES		
U value	Double glazing * Uw from 1.2 (W/m²K)	Triple glazing * Uw ≥ 0.8 (W/m²K)
Acoustic insulation	Rw up to 46 dB	
Air permeability	Class 4	
Water tightness	Class E1650	
Wind resistance	Class C5	
Security test PA524	Passed	

CONFIGURATIONS





HARDWARE





HIDDEN HANDLE


The GT70 tilt and turn windows comes with a fully concealed hidden handle adding to the appearance of a fixed window. The system also includes hidden hinges so there is no visible hardware from the inside or outside.



AVAILIBLE IN GREY, WHITE, BLACK OR CUSTOM RAL




HIDDEN HANDLE FEATURE



GLIDELINE GO

KEEP UP TO DATE WITH YOUR GLAZING PROJECTS WITH GLIDELINE GO







Introducing GlidelineGO – the ultimate system designed to streamline your glazing order management process. With GlidelineGO, customers and trade partners can effortlessly create, track, and manage orders, while enjoying the convenience of approving drawings and making payments directly within the app.

Efficiency and ease-of-use are at the heart of GlidelineGO. Whether you're an architect, contractor, or glazing professional, this powerful app empowers you to take control of your glazing projects, ensuring a seamless experience from start to finish.



GLIDELINE