Glideline

REGENT CASEMENT WINDOW

Architectural Glazing Systems



Specification


SIGHTLINES
FRAME 70 MM, SASH 70 MM


GLAZING
MAX. 36 MM, MIN. 24 MM

MAXIMUM SASH DIMENSIONS
SIDE HUNG: WIDTH (L) 750 MM, HEIGHT (H) 1500 MM
TOP HUNG: WIDTH (L) 1200 MM, HEIGHT (H) 1500 MM

MAXIMUM SASH WEIGHT
SIDE HUNG SASH: 50 KG
TOP HUNG SASH: 60 KG

COLOUR
POWDER COATING RAL FINISH 9005M
AVAILABLE IN 150+ RAL FINISHES
TEXTURED FINISH AVAILABLE
SPLIT COLOR FOR INTERIOR/EXTERIOR
WOOD EFFECT POWDER COATING
ANODIZED ALUMINIUM






FEATURES			
U value		Double glazing * Uw from 1.4 (W/m²K)	Triple glazing * Uw ≥ 1.0 (W/m²K)
Acoustic insulation		Rw up to 45 dB	
Air permeability		Class 4	
Water tightness		Class E1200	
Wind resistance		Class CE 2400	
Security test	PAS24	Passed	


* Double glazing Ug=1.0 / Triple glazing Ug=0.7
Security test: Reference test 1.438 x 1.33 m / 1 sash


Configurations

Stepped Sash




Astragal Bars







DRAINAGE SUBCILLS




90 MM



150 MM




180 MM




230 MM

HEAD EXTENSION



HEAD EXTENSION 20 MM



HEAD EXTENSION 38 MM

OPENING POSSIBILITIES



Outward Opening

Side hung

Top hung

POSSIBILITIES

SECURITY HARDWARE

CONCEALED HINGES

Hardware

REGENT



BLACK



SATIN BRASS



STAINLESS STEEL



REGENT SATIN BRASS

Hardware

KNURLED



BLACK



SATIN BRASS



STAINLESS STEEL



KNURLED SATIN BRASS



Colours



Black 9005 Matt




Anthracite Grey 7016 Matt


White 9016 Gloss



Custom RAL



Textured



Anodized



Glideline